

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ac: Albaton-----	85	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Low strength	1.00	Too clayey	0.88	Too clayey	1.00
		Depth to saturated zone	1.00	Cutbanks cave	0.10		
		Frost action	0.50				
		Flooding	0.20				
Ad: Albaton-----	90	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Ponding	1.00	Too clayey	1.00
		Frost action	1.00	Too clayey	0.88	Ponding	1.00
		Low strength	1.00	Cutbanks cave	0.10		
		Ponding	1.00				
AeA: Alcester-----	80	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.35	Not limited	
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	0.50				
		Flooding	0.40				
Ba: Baltic-----	85	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Flooding	0.60	Flooding	0.60
		Low strength	1.00	Too clayey	0.28		
		Shrink-swell	1.00	Cutbanks cave	0.10		
		Depth to saturated zone	1.00				
Bb: Blake-----	80	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.61	Not limited	
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	0.50				
		Flooding	0.20				

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Bf: Blencoe-----	80	Very limited Frost action Low strength Shrink-swell Flooding Depth to saturated zone	1.00 1.00 1.00 0.20 0.03	Very limited Depth to saturated zone Too clayey Cutbanks cave	1.00 0.28 0.10	Very limited Too clayey Depth to saturated zone	1.00 0.03
Bg: Blyburg-----	85	Very limited Frost action Flooding	1.00 0.20	Somewhat limited Cutbanks cave	0.10	Not limited	
Bk: Blyburg-----	50	Very limited Frost action Flooding	1.00 0.20	Somewhat limited Cutbanks cave	0.10	Not limited	
Gayville-----	30	Somewhat limited Frost action Flooding Depth to saturated zone	0.50 0.20 0.03	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.03
Bm: Bon-----	85	Somewhat limited Frost action Flooding	0.50 0.40	Very limited Cutbanks cave	1.00	Not limited	
Bn: Bon-----	85	Very limited Frost action Flooding	1.00 1.00	Very limited Cutbanks cave Flooding Depth to saturated zone	1.00 0.80 0.61	Very limited Flooding	1.00

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ca: Chancellor-----	65	Very limited Frost action Flooding Low strength Shrink-swell Depth to saturated zone	1.00 1.00 1.00 1.00 0.75	Very limited Depth to saturated zone Flooding Too clayey Cutbanks cave	1.00 0.80 0.12 0.10	Very limited Flooding Depth to saturated zone	1.00 0.75
Tetonka-----	25	Very limited Ponding Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Cutbanks cave	1.00 1.00 0.28 0.10	Very limited Ponding Depth to saturated zone	1.00 1.00
Cc: Chaska-----	75	Very limited Frost action Flooding Depth to saturated zone	1.00 1.00 0.19	Very limited Cutbanks cave Depth to saturated zone Flooding	1.00 1.00 0.80	Very limited Flooding Depth to saturated zone	1.00 0.19
Cd: Clamo-----	85	Very limited Frost action Flooding Low strength Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Flooding Too clayey Cutbanks cave	1.00 0.60 0.12 0.10	Very limited Too clayey Depth to saturated zone Flooding	1.00 1.00 0.60
DaA: Dalesburg-----	85	Very limited Flooding	1.00	Very limited Cutbanks cave Flooding Depth to saturated zone	1.00 0.60 0.35	Somewhat limited Flooding	0.60

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DbB: Dalesburg-----	55	Very limited Flooding	1.00	Very limited Cutbanks cave Flooding Depth to saturated zone	1.00 0.60 0.35	Somewhat limited Flooding	0.60
Dimo-----	30	Very limited Frost action Flooding Low strength Shrink-swell Depth to saturated zone	1.00 1.00 1.00 0.50 0.03	Very limited Cutbanks cave Depth to saturated zone Flooding	1.00 1.00 0.60	Somewhat limited Flooding Depth to saturated zone	0.60 0.03
DcA: Davis-----	80	Very limited Low strength Shrink-swell Frost action Flooding	1.00 0.50 0.50 0.40	Somewhat limited Depth to saturated zone Cutbanks cave	0.61 0.10	Not limited	
DcB: Davis-----	85	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
DhA: Davison-----	50	Very limited Frost action Low strength Shrink-swell	1.00 0.78 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.95 0.10	Not limited	
Chancellor-----	40	Very limited Frost action Flooding Low strength Shrink-swell Depth to saturated zone	1.00 1.00 1.00 1.00 0.75	Very limited Depth to saturated zone Flooding Too clayey Cutbanks cave	1.00 0.80 0.12 0.10	Very limited Flooding Depth to saturated zone	1.00 0.75

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DkA: Davison-----	40	Very limited Frost action Low strength Shrink-swell	1.00 0.78 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.95 0.10	Not limited	
Tetonka-----	25	Very limited Ponding Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Cutbanks cave	1.00 1.00 0.28 0.10	Very limited Ponding Depth to saturated zone	1.00 1.00
Egan-----	20	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
DmB: Delmont-----	55	Not limited		Very limited Cutbanks cave	1.00	Not limited	
Enet-----	25	Not limited		Very limited Cutbanks cave	1.00	Not limited	
DnD: Delmont-----	45	Not limited		Very limited Cutbanks cave	1.00	Not limited	
Talmo-----	35	Somewhat limited Slope	0.63	Very limited Cutbanks cave Slope	1.00 0.63	Somewhat limited Slope Droughty	0.63 0.27
Do: Dimo-----	85	Very limited Frost action Flooding Low strength Shrink-swell Depth to saturated zone	1.00 1.00 1.00 0.50 0.03	Very limited Cutbanks cave Depth to saturated zone Flooding	1.00 1.00 0.60	Somewhat limited Flooding Depth to saturated zone	0.60 0.03

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EaA: Egan-----	40	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Chancellor-----	25	Very limited Frost action Flooding Low strength Shrink-swell Depth to saturated zone	1.00 1.00 1.00 1.00 0.75	Very limited Depth to saturated zone Flooding Too clayey Cutbanks cave	1.00 0.80 0.12 0.10	Very limited Flooding Depth to saturated zone	1.00 0.75
Davison-----	20	Very limited Frost action Low strength Shrink-swell	1.00 0.78 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.95 0.10	Not limited	
EbA: Egan-----	40	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Clarno-----	25	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Chancellor-----	20	Very limited Frost action Flooding Low strength Shrink-swell Depth to saturated zone	1.00 1.00 1.00 1.00 0.75	Very limited Depth to saturated zone Flooding Too clayey Cutbanks cave	1.00 0.80 0.12 0.10	Very limited Flooding Depth to saturated zone	1.00 0.75
EcA: Egan-----	40	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Clarno-----	25	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Tetonka-----	20	Very limited Ponding Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Cutbanks cave	1.00 1.00 0.28 0.10	Very limited Ponding Depth to saturated zone	1.00 1.00
EdA: Egan-----	45	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Clarno-----	25	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Trent-----	20	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.47 0.10	Not limited	
EdB: Egan-----	45	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Clarno-----	25	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Trent-----	20	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.47 0.10	Not limited	

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EeB: Egan-----	50	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Ethan-----	30	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
EfB: Egan-----	40	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Ethan-----	25	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Tetonka-----	20	Very limited Ponding Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Cutbanks cave	1.00 1.00 0.28 0.10	Very limited Ponding Depth to saturated zone	1.00 1.00
EgB: Egan-----	45	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Ethan-----	25	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Trent-----	20	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.47 0.10	Not limited	

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EhA: Egan-----	50	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Trent-----	35	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.47 0.10	Not limited	
EhB: Egan-----	50	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Trent-----	30	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.47 0.10	Not limited	
Ek: Egan-----	40	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Trent-----	25	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.47 0.10	Not limited	
Chancellor-----	20	Very limited Frost action Flooding Low strength Shrink-swell Depth to saturated zone	1.00 1.00 1.00 1.00 0.75	Very limited Depth to saturated zone Flooding Too clayey Cutbanks cave	1.00 0.80 0.12 0.10	Very limited Flooding Depth to saturated zone	1.00 0.75

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Em: Enet-----	90	Not limited		Very limited Cutbanks cave Depth to saturated zone	1.00 0.15	Not limited	
EnB: Enet-----	45	Not limited		Very limited Cutbanks cave	1.00	Not limited	
Storla-----	25	Very limited Frost action Shrink-swell	1.00 0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 0.95	Not limited	
Tetonka-----	20	Very limited Ponding Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Cutbanks cave	1.00 1.00 0.28 0.10	Very limited Ponding Depth to saturated zone	1.00 1.00
EoD: Ethan-----	65	Very limited Low strength Slope Shrink-swell Frost action	1.00 0.63 0.50 0.50	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope	0.63
Betts-----	20	Very limited Low strength Slope Shrink-swell Frost action	1.00 0.84 0.50 0.50	Somewhat limited Slope Cutbanks cave	0.84 0.10	Somewhat limited Slope	0.84
EoE: Ethan-----	60	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Betts-----	25	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EpD: Ethan-----	55	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Bon-----	25	Very limited Frost action Flooding	1.00 1.00	Very limited Cutbanks cave Flooding Depth to saturated zone	1.00 0.80 0.61	Very limited Flooding	1.00
EpE: Ethan-----	65	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Bon-----	20	Very limited Frost action Flooding	1.00 1.00	Very limited Cutbanks cave Flooding Depth to saturated zone	1.00 0.80 0.61	Very limited Flooding	1.00
ErC: Ethan-----	45	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Clarno-----	40	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
ErD: Ethan-----	60	Very limited Low strength Slope Shrink-swell Frost action	1.00 0.63 0.50 0.50	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope	0.63

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Clarno-----	30	Very limited Low strength Slope Shrink-swell Frost action	1.00 0.63 0.50 0.50	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope	0.63
EsB: Ethan-----	40	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Clarno-----	30	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Bon-----	20	Somewhat limited Frost action Flooding	0.50 0.40	Very limited Cutbanks cave Depth to saturated zone	1.00 0.61	Not limited	
EtC: Ethan-----	45	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Clarno-----	25	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Bon-----	20	Very limited Frost action Flooding	1.00 1.00	Very limited Cutbanks cave Flooding Depth to saturated zone	1.00 0.80 0.61	Very limited Flooding	1.00
EuB: Ethan-----	30	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Davison-----	25	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.95	Not limited	
		Low strength	0.78	Cutbanks cave	0.10		
		Shrink-swell	0.50				
Tetonka-----	25	Very limited Ponding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Frost action	1.00	Too clayey	0.28		
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	1.00				
EvC: Ethan-----	50	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Shrink-swell	0.50				
		Frost action	0.50				
Egan-----	35	Very limited Frost action	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Low strength	1.00				
		Shrink-swell	0.50				
EzE: Ethan-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	0.50				
		Frost action	0.50				
Talmo-----	25	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
				Cutbanks cave	1.00	Droughty	0.27
Fo: Forney-----	80	Very limited Low strength	1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey	1.00
		Shrink-swell	1.00	Too clayey	0.88	Depth to saturated zone	0.03
		Frost action	0.50	Cutbanks cave	0.10		
		Flooding	0.20				
		Depth to saturated zone	0.03				

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ga: Grable-----	85	Somewhat limited Flooding	0.20	Very limited Cutbanks cave	1.00	Not limited	
Gt: Grable-----	45	Somewhat limited Flooding	0.20	Very limited Cutbanks cave	1.00	Not limited	
Ticonic-----	25	Somewhat limited Flooding	0.20	Very limited Cutbanks cave	1.00	Not limited	
Vore-----	20	Very limited Frost action Flooding	1.00 0.20	Very limited Cutbanks cave Depth to saturated zone	1.00 0.61	Very limited Too clayey	1.00
Gv: Grable-----	35	Somewhat limited Flooding	0.20	Very limited Cutbanks cave	1.00	Not limited	
Haynie-----	25	Very limited Frost action Low strength Flooding	1.00 1.00 0.20	Somewhat limited Cutbanks cave	0.10	Not limited	
Vore-----	25	Very limited Frost action Flooding	1.00 0.20	Very limited Cutbanks cave Depth to saturated zone	1.00 0.61	Very limited Too clayey	1.00
Ha: Haynie-----	80	Very limited Frost action Low strength Flooding	1.00 1.00 0.20	Somewhat limited Cutbanks cave	0.10	Not limited	
Hg: Haynie-----	45	Very limited Frost action Low strength Flooding	1.00 1.00 0.20	Somewhat limited Cutbanks cave	0.10	Not limited	
Grable-----	40	Not limited		Very limited Cutbanks cave	1.00	Not limited	

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Hn: Haynie-----	40	Very limited Frost action Low strength Flooding	1.00 1.00 0.20	Somewhat limited Cutbanks cave	0.10	Not limited	
Grable-----	25	Somewhat limited Flooding	0.20	Very limited Cutbanks cave	1.00	Not limited	
Lossing-----	25	Very limited Frost action Low strength Flooding	1.00 1.00 0.20	Somewhat limited Depth to saturated zone Too clayey Cutbanks cave	0.61 0.28 0.10	Very limited Too clayey	1.00
Ho: Haynie-----	40	Very limited Frost action Low strength Flooding	1.00 1.00 0.20	Somewhat limited Cutbanks cave	0.10	Not limited	
Blake-----	25	Very limited Frost action Low strength Shrink-swell Flooding	1.00 1.00 0.50 0.20	Somewhat limited Depth to saturated zone Cutbanks cave	0.61 0.10	Not limited	
Onawa-----	25	Very limited Frost action Low strength Shrink-swell Flooding	1.00 1.00 1.00 0.20	Somewhat limited Too clayey Depth to saturated zone Cutbanks cave	0.88 0.61 0.10	Very limited Too clayey	1.00
Ja: James-----	85	Very limited Shrink-swell Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Flooding Too clayey Cutbanks cave	1.00 0.60 0.50 0.10	Very limited Salinity Depth to saturated zone Too clayey Flooding	1.00 1.00 1.00 0.60

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
La: Lakeport-----	85	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.61	Not limited	
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	1.00				
		Flooding	0.20				
Lb: Lamo-----	85	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Flooding	0.60
		Flooding	1.00	Flooding	0.60	Depth to saturated zone	0.03
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	0.50				
		Depth to saturated zone	0.03				
Lc: Lamo-----	85	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Flooding	0.60
		Flooding	1.00	Flooding	0.60	Depth to saturated zone	0.03
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	0.50				
		Depth to saturated zone	0.03				
Ld: Lamo-----	60	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Flooding	0.60
		Flooding	1.00	Flooding	0.60	Depth to saturated zone	0.03
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	0.50				
		Depth to saturated zone	0.03				

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Baltic-----	25	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Flooding	0.60	Flooding	0.60
		Low strength	1.00	Too clayey	0.28		
		Shrink-swell	1.00	Cutbanks cave	0.10		
		Depth to saturated zone	1.00				
Le: Lex-----	85	Very limited Frost action	1.00	Very limited Cutbanks cave	1.00	Somewhat limited Flooding	0.60
		Flooding	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.03
		Low strength	1.00	Flooding	0.60		
		Depth to saturated zone	0.03				
Lg: Lossing-----	80	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.61	Very limited Too clayey	1.00
		Low strength	1.00	Too clayey	0.28		
		Flooding	0.20	Cutbanks cave	0.10		
Lo: Lossing-----	50	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.61	Very limited Too clayey	1.00
		Low strength	1.00	Too clayey	0.28		
		Flooding	0.20	Cutbanks cave	0.10		
Owego-----	30	Very limited Low strength	1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey	1.00
		Shrink-swell	1.00	Too clayey	0.76	Depth to saturated zone	0.03
		Frost action	0.50	Cutbanks cave	0.10		
		Flooding	0.20				
		Depth to saturated zone	0.03				
Lr: Lossing-----	50	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.61	Very limited Too clayey	1.00
		Low strength	1.00	Too clayey	0.28		
		Flooding	0.20	Cutbanks cave	0.10		

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Vore-----	25	Very limited Frost action Flooding	1.00 0.20	Very limited Cutbanks cave Depth to saturated zone	1.00 0.61	Very limited Too clayey	1.00
Lt: Luton-----	90	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey	1.00
		Low strength Shrink-swell	1.00 1.00	Too clayey Flooding	0.88 0.60	Flooding Depth to saturated zone	0.60 0.19
		Frost action Depth to saturated zone	0.50 0.19	Cutbanks cave	0.10		
Lu: Luton-----	90	Very limited Low strength	1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey	1.00
		Shrink-swell	1.00	Too clayey	0.88	Depth to saturated zone	0.19
		Frost action Depth to saturated zone	0.50 0.19	Cutbanks cave	0.10		
McA: Meckling-----	90	Not limited		Very limited Cutbanks cave Depth to saturated zone	1.00 0.90	Somewhat limited Droughty	0.17
Mo: Modale-----	85	Very limited Frost action Low strength	1.00 1.00	Somewhat limited Too clayey Depth to saturated zone	0.88 0.61	Not limited	
		Flooding	0.20	Cutbanks cave	0.10		
Na: Napa-----	50	Very limited Shrink-swell	1.00	Very limited Cutbanks cave	1.00	Somewhat limited Depth to saturated zone	0.75
		Low strength	1.00	Depth to saturated zone	1.00		
		Depth to saturated zone	0.75	Too clayey	0.72		
		Frost action	0.50				

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Luton-----	30	Very limited Low strength	1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey	1.00
		Shrink-swell	1.00	Too clayey	0.88	Depth to saturated zone	0.19
		Frost action Depth to saturated zone	0.50 0.19	Cutbanks cave	0.10		
Nb: Norway-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Frost action	1.00	Cutbanks cave	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Flooding	0.80	Droughty	0.69
NcA: Norway-----	50	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Cutbanks cave	1.00	Droughty	0.69
		Depth to saturated zone	1.00	Flooding	0.60	Flooding	0.60
Meckling-----	40	Not limited		Very limited Cutbanks cave Depth to saturated zone	1.00 0.90	Somewhat limited Droughty	0.17
Oa: Onawa-----	85	Very limited Frost action	1.00	Somewhat limited Too clayey	0.88	Very limited Too clayey	1.00
		Low strength	1.00	Depth to saturated zone	0.61		
		Shrink-swell	1.00	Cutbanks cave	0.10		
		Flooding	0.20				
Ob: Onawa-----	50	Very limited Frost action	1.00	Somewhat limited Too clayey	0.88	Very limited Too clayey	1.00
		Low strength	1.00	Depth to saturated zone	0.61		
		Shrink-swell	1.00	Cutbanks cave	0.10		
		Flooding	0.20				

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Owego-----	30	Very limited Low strength	1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey	1.00
		Shrink-swell	1.00	Too clayey	0.76	Depth to saturated zone	0.03
		Frost action	0.50	Cutbanks cave	0.10		
		Flooding	0.20				
		Depth to saturated zone	0.03				
Oc: Orthents, Channeled-	85	Very limited Flooding	1.00	Very limited Slope	1.00	Very limited Flooding	1.00
		Slope	1.00	Depth to saturated zone	0.95	Too clayey	1.00
		Low strength	0.78	Flooding	0.80	Slope	1.00
		Shrink-swell	0.50	Cutbanks cave	0.10		
		Frost action	0.50	Too clayey	0.03		
Og: Orthents, Gravelly--	95	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty Gravel content	0.42 0.25
Om: Orthents, Loamy-----	95	Somewhat limited Low strength	0.78	Somewhat limited Cutbanks cave	0.10	Not limited	
		Shrink-swell	0.50				
		Frost action	0.50				
Os: Orthents, Sandy-----	95	Not limited		Very limited Cutbanks cave	1.00	Not limited	
Ow: Owego-----	80	Very limited Low strength	1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey	1.00
		Shrink-swell	1.00	Too clayey	0.76	Depth to saturated zone	0.03
		Frost action	0.50	Cutbanks cave	0.10		
		Flooding	0.20				
		Depth to saturated zone	0.03				

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pe: Percival-----	85	Very limited Shrink-swell Low strength Frost action Flooding	1.00 1.00 0.50 0.20	Very limited Cutbanks cave Depth to saturated zone Too clayey	1.00 0.61 0.50	Very limited Too clayey Droughty	1.00 0.30
Ro: Roxbury-----	85	Very limited Flooding Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Somewhat limited Flooding Depth to saturated zone Cutbanks cave	0.80 0.35 0.10	Very limited Flooding	1.00
Sa: Salix-----	85	Very limited Frost action Low strength Flooding	1.00 1.00 0.20	Somewhat limited Depth to saturated zone Cutbanks cave	0.15 0.10	Not limited	
Sd: Salmo-----	90	Very limited Frost action Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00 0.60 0.10	Very limited Depth to saturated zone Salinity Flooding	1.00 1.00 0.60
SeB: Sardak-----	90	Somewhat limited Flooding	0.20	Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.69
SkB: Sardak-----	50	Somewhat limited Flooding	0.20	Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.69
Scroll-----	30	Somewhat limited Frost action Flooding	0.50 0.20	Very limited Cutbanks cave Depth to saturated zone	1.00 0.61	Very limited Too clayey Droughty	1.00 0.92

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SpA: Scroll-----	45	Somewhat limited Frost action Flooding	0.50 0.20	Very limited Cutbanks cave Depth to saturated zone	1.00 0.61	Very limited Too clayey Droughty	1.00 0.92
Percival-----	35	Very limited Shrink-swell Low strength Frost action Flooding	1.00 1.00 0.50 0.20	Very limited Cutbanks cave Depth to saturated zone Too clayey	1.00 0.61 0.50	Very limited Too clayey Droughty	1.00 0.30
SpB: Scroll-----	45	Somewhat limited Frost action Flooding	0.50 0.20	Very limited Cutbanks cave Depth to saturated zone	1.00 0.61	Very limited Too clayey Droughty	1.00 0.92
Percival-----	35	Very limited Shrink-swell Low strength Frost action Flooding	1.00 1.00 0.50 0.20	Very limited Cutbanks cave Depth to saturated zone Too clayey	1.00 0.61 0.50	Very limited Too clayey Droughty	1.00 0.30
TaE: Talmo-----	45	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope Droughty	1.00 0.27
Thurman-----	35	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
Te: Tetonka-----	90	Very limited Ponding Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Cutbanks cave	1.00 1.00 0.28 0.10	Very limited Ponding Depth to saturated zone	1.00 1.00
ThA: Thurman-----	90	Not limited		Very limited Cutbanks cave	1.00	Not limited	

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ThB: Thurman-----	90	Not limited		Very limited Cutbanks cave	1.00	Not limited	
ThC: Thurman-----	90	Not limited		Very limited Cutbanks cave	1.00	Not limited	
Tr: Ticonic-----	45	Somewhat limited Flooding	0.20	Very limited Cutbanks cave	1.00	Not limited	
Grable-----	30	Somewhat limited Flooding	0.20	Very limited Cutbanks cave	1.00	Not limited	
TtA: Trent-----	40	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.47	Not limited	
		Low strength Shrink-swell	1.00 0.50	Cutbanks cave	0.10		
Tetonka-----	25	Very limited Ponding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Frost action	1.00	Too clayey	0.28		
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	1.00				
Wakonda-----	25	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	0.50				
		Depth to saturated zone	0.19				
TwA: Trent-----	50	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.47	Not limited	
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	0.50				

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wentworth-----	30	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
W: Water (less Than 40 Acres)-----	100	Not rated		Not rated		Not rated	
Wa: Wakonda-----	50	Very limited Frost action Low strength Shrink-swell Depth to saturated zone	1.00 1.00 0.50 0.19	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.19
Tetonka-----	30	Very limited Ponding Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Cutbanks cave	1.00 1.00 0.28 0.10	Very limited Ponding Depth to saturated zone	1.00 1.00
Wc: Wakonda-----	40	Very limited Frost action Low strength Shrink-swell Depth to saturated zone	1.00 1.00 0.50 0.19	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.19
Wentworth-----	30	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Whitewood-----	20	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.75
		Flooding	1.00	Flooding	0.60	Flooding	0.60
		Low strength	1.00	Cutbanks cave	0.10		
		Depth to saturated zone	0.75				
		Shrink-swell	0.50				
Wd: Wakonda-----	50	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	0.50				
		Depth to saturated zone	0.19				
Whitewood-----	30	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.75
		Flooding	1.00	Flooding	0.60	Flooding	0.60
		Low strength	1.00	Cutbanks cave	0.10		
		Depth to saturated zone	0.75				
		Shrink-swell	0.50				
WkB: Wentworth-----	45	Very limited Frost action	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Low strength	1.00				
		Shrink-swell	0.50				
Trent-----	40	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.47	Not limited	
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	0.50				
Wm: Whitewood-----	85	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.75
		Flooding	1.00	Flooding	0.60	Flooding	0.60
		Low strength	1.00	Cutbanks cave	0.10		
		Depth to saturated zone	0.75				
		Shrink-swell	0.50				

Section II
Soil and Site Information

Building Site Development
Clay County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wo: Worthing-----	90	Very limited Ponding Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Cutbanks cave	1.00 1.00 0.50 0.10	Very limited Ponding Depth to saturated zone	1.00 1.00
Wp: Worthing-----	95	Very limited Ponding Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Cutbanks cave	1.00 1.00 0.50 0.10	Very limited Ponding Depth to saturated zone	1.00 1.00